Journal of Animal Ecology 2003
72, 1097–1102

Index

STANDARD PAPERS

Alonso-Alvarez, C. *see* **Velando, A.**
Alphen, J.V. *see* **Casas, J.**
Altwegg, R., Roulin, A., Kestenholz, M. & Jenni, L. Variation and covariation in survival, dispersal, and population size in barn owls *Tyto alba*, 391
Amarasekare, P. Diversity–stability relationships in multitrophic systems: an empirical exploration, 713
Ancel, A. *see* **Weimerskirch, H.**
Aradis, A. *see* **Miller, M.W.**
Arlettaz, R. *see* **Christe, P.**

Baguette, M. *see* **Schtickzelle, N.**
Barbraud, C. *see* **Jenouvrier, S.**
Barbraud, C., Johnson, A.R. & Bertault, G. Phenotypic correlates of post-fledging dispersal in a population of greater flamingos: the importance of body condition, 246
Bavoux, C. *see* **Roulin, A.**
Beck, C.A., Bowen, W.D. & Iverson, S.J. Sex differences in the seasonal patterns of energy storage and expenditure in a phocid seal, 280
Beck, C.A., Bowen, W.D., McMillan, J.I. & Iverson, S.J. Sex differences in diving at multiple temporal scales in a size-dimorphic capital breeder, 979
Begon, M., Hazel, S.M., Telfer, S., Bown, K., Carslake, D., Cavanagh, R., Chantrey, J., Jones, T. & Bennett, M. Rodents, cowpox virus and islands: densities, numbers and thresholds, 343
Beisner, B.E., Ives, A.R. & Carpenter, S.R. The effects of an exotic fish invasion on the prey communities of two lakes, 331
Bennett, M. *see* **Begon, M.**
Benton, T.G. *see* **Grant, A.**
Bernstein, C. *see* **Casas, J.**
Bersier, L.-F. *see* **Bize, P.**
Bertault, G. *see* **Barbraud, C.**
Bester, M.N. *see* **McMahon, C.R.**
Bignal, E.M. *see* **Reid, J.M.**
Bignal, S. *see* **Reid, J.M.**
Biro, P.A., Post, J.R. & Parkinson, E.A. Density-dependent mortality is mediated by foraging activity for prey fish in whole-lake experiments, 546
Bize, P. *see* **Roulin, A.**
Bize, P., Roulin, A., Bersier, L.-F., Pfluger, D. & Richner, H. Parasitism and developmental plasticity in Alpine swift nestlings, 633
Bjørnstad, O.N. *see* **Tobin, P.C.**
Blais, S. *see* **Durant, D.**
Blanco, G., Martínez-Padilla, J., Serrano, D., Dávila, J.A. & Viñuela, J. Mass provisioning to different-sex eggs within the laying sequence: consequences for adjustment of reproductive effort in a sexually dimorphic bird, 831
Blaustein, L. *see* **Kiflawi, M.**
Blums, P., Nichols, J.D., Hines, J.E., Lindberg, M.S. & Mednis, A. Estimating natal dispersal movement rates of female European ducks with multistate modelling, 1027
Blums, P., Nichols, J.D., Lindberg, M.S., Hines, J.E. & Mednis, A. Factors affecting breeding dispersal of European ducks on Engure Marsh, Latvia, 292
Boaventura, D., da Fonseca, L.C. & Hawkins, S.J. Size matters: competition within populations of the limpet *Patella depressa*, 435
Boileau, N. *see* **Roulin, A.**
Boots, M. *see* **Wilson, K.**
Boots, M., Greenman, J., Ross, D., Norman, R., Hails, R. & Sait, S. The population dynamical implications of covert infections in host–microparasite interactions, 1064
Botsford, L.W. *see* **Hill, M.F.**
Bowen, W.D. *see* **Beck, C.A.**
Bown, K. *see* **Begon, M.**
Braithwaite, R.W. *see* **Pardon, L.G.**
Brewer, A.M. & Gaston, K.J. The geographical range structure of the holly leaf-miner. II. Demographic rates, 82
Brinkhof, M.W.G. *see* **Roulin, A.**
Brommer, J.E., Pihlajamäki, O., Kolunen, H. & Pietiäinen, H. Life-history consequences of partial-moult asymmetry, 1057
Brook, B.W. *see* **Pardon, L.G.**
Broussard, D.R., Risch, T.S., Dobson, F.S. & Murie, J.O. Senescence and age-related reproduction of female Columbian ground squirrels, 212
Brown, M.J.F., Schmid-Hempel, R. & Schmid-Hempel, P. Strong context-dependent virulence in a host–parasite system: reconciling genetic evidence with theory, 994
Brown, N. *see* **Wright, J.**
Bshary, R. The cleaner wrasse, *Labroides dimidiatus*, is a key organism for reef fish diversity at Ras Mohammed National Park, Egypt, 169
Burneleau, G. *see* **Roulin, A.**
Burton, H.R. *see* **McMahon, C.R.**
Bustamante, J. *see* **Rodríguez, C.**
Byrkjedal, I. *see* **Larsen, V.A.**
Byström, P., Persson, L., Wahlström, E. & Westman, E. Size- and density-dependent habitat use in predators: consequences for habitat shifts in young fish, 156

Caloin, M. *see* **Weimerskirch, H.**
Cam, E., Monnat, J.-Y. & Hines, J.E. Long-term fitness consequences of early conditions in the kittiwake, 411
Carpenter, S.R. *see* **Beisner, B.E.**
Carslake, D. *see* **Begon, M.**
Casas, J., Driessen, G., Mandon, N., Wielaard, S., Desouhant, E., Alphen, J.V., Lapchin, L., Rivero, A.,

© 2003 British Ecological Society

Christides, J.P. & Bernstein, C. Energy dynamics in a parasitoid foraging in the wild, 691
Cavanagh, R. *see* **Begon, M.**
Cazelles, B. & Stone, L. Detection of imperfect population synchrony in an uncertain world, 963
Chantrey, J. *see* **Begon, M.**
Chapman, C.A. *see* **Wasserman, M.D.**
Chastel, O. *see* **Weimerskirch, H.**
Choquenot, D. & Ruscoe, W.A. Landscape complementation and food limitation of large herbivores: habitat-related constraints on the foraging efficiency of wild pigs, 14
Chown, S.L. *see* **Warren, M.**
Chown, S.L. *see* **Zapata, F.A.**
Christe, P., Giorgi, M.S., Vogel, P. & Arlettaz, R. Differential species-specific ectoparasitic mite intensities in two intimately coexisting sibling bat species: resource-mediated host attractiveness or parasite specialization?, 866
Christides, J.P. *see* **Casas, J.**
Cockburn, A., Osmond, H.L., Mulder, R.A., Green, D.J. & Double, M.C. Divorce, dispersal and incest avoidance in the cooperatively breeding superb fairy-wren *Malurus cyaneus*, 189
Colazza, S. *see* **Wajnberg, E.**
Costantino, R.F. *see* **Edmunds, J.**
Côté, I.M. *see* **Einum, S.**
Côté, S.D. *see* **Festa-Bianchet, M.**
Cox, S.J. *see* **Doncaster, C.P.**
Crabtree, R.L. *see* **Wilmers, C.C.**
Cresswell, W. & McCleery, R. How great tits maintain synchronization of their hatch date with food supply in response to long-term variability in temperature, 356
Curty, C. *see* **Wajnberg, E.**
Cushing, J.M. *see* **Edmunds, J.**

Dahle, B. & Swenson, J.E. Seasonal range size in relation to reproductive strategies in brown bears *Ursus arctos*, 660
van Dam, N.M. *see* **Harvey, J.A.**
Dávila, J.A. *see* **Blanco, G.**
Dennis B. *see* **Edmunds, J.**
Dernie, K.M., Kaiser, M.J. & Warwick, R.M. Recovery rates of benthic communities following physical disturbance, 1043
Desharnais, R.A. *see* **Edmunds, J.**
Desouhant, E. *see* **Casas, J.**
Devillard, S., Say, L. & Pontier, D. Dispersal pattern of domestic cats (*Felis catus*) in a promiscuous urban population: do females disperse or die?, 203
Dobson, F.S. *see* **Broussard, D.R.**
Doncaster, C.P. *see* **Kent, A.**
Doncaster, C.P., Pound, G.E. & Cox, S.J. Dynamics of regional coexistence for more or less equal competitors, 116
Double, M.C. *see* **Cockburn, A.**
Downes, B.J. *see* **Lancaster, J.**
Driessen, G. *see* **Casas, J.**
Du Plessis, M.A. *see* **Radford, A.N.**
Duncan, P. *see* **Durant, D.**
Durant, D., Fritz, H., Blais, S. & Duncan, P. The functional response in three species of herbivorous Anatidae: effects of sward height, body mass and bill size, 220

Edmunds, J., Cushing, J.M., Costantino, R.F., Henson, S.M., Dennis B. & Desharnais, R.A. Park's *Tribolium* competition experiments: a non-equilibrium species coexistence hypothesis, 703
Einum, S., Fleming, I.A., Côté, I.M. & Reynolds, J.D. Population stability in salmon species: effects of population size and female reproductive allocation, 811
Eitam, A. *see* **Kiflawi, M.**
Ellis, J.C. *see* **Fariña, J.M.**
Estes, J.A., Riedman, M.L., Staedler, M.M., Tinker, M.T. & Lyon, B.E. Individual variation in prey selection by sea otters: patterns, causes and implications, 144

Fariña, J.M., Salazar, S., Wallem, K.P., Witman, J.D. & Ellis, J.C. Nutrient exchanges between marine and terrestrial ecosystems: the case of the Galapagos sea lion *Zalophus wollebaecki*, 873
Festa-Bianchet, M., Gaillard, J.-M. & Côté, S.D. Variable age structure and apparent density dependence in survival of adult ungulates, 640
Fitze, P.S. *see* **Tschirren, B.**
Fleishman, E., McDonal, N., Mac Nally, R., Murphy, D.D., Walters, J. & Floyd, T. Effects of floristics, physiognomy and non-native vegetation on riparian bird communities in a Mojave Desert watershed, 484
Fleming, I.A. *see* **Einum, S.**
Floyd, T. *see* **Fleishman, E.**
da Fonseca, L.C. *see* **Boaventura, D.**
Fox, B.J., Taylor, J.E. & Thompson, P.T. Experimental manipulation of habitat structure: a retrogression of the small mammal succession, 927
Fritz, H. *see* **Durant, D.**

Gaillard, J.-M. *see* **Festa-Bianchet, M.**
Gaston, K.J. *see* **Brewer, A.M.**
Gaston, K.J. *see* **Koleff, P.**
Gaston, K.J. *see* **Storch, D.**
Gaston, K.J. *see* **Zapata, F.A.**
George-Nascimento, M. *see* **Mouillot, D.**
Getz, W.M. *see* **Wilmers, C.C.**
Gibson, D.J. *see* **Newman, J.A.**
Gilbert, I. *see* **Laurenson, M.K.**
Giorgi, M.S. *see* **Christe, P.**
Gols, R. *see* **Harvey, J.A.**
Gonsard, P.-A. *see* **Wajnberg, E.**
Gotelli, N.J. *see* **McCabe, D.J.**
Grant, A. & Benton, T.G. Density-dependent populations require density-dependent elasticity analysis: an illustration using the LPA model of *Tribolium*, 94

© 2003 British Ecological Society,

Green, D.J. *see* **Cockburn, A.**
Greenman, J. *see* **Boots, M.**
Griffiths, A.D. *see* **Pardon, L.G.**
Grolet, O. *see* **Perret, N.**
Hails, R. *see* **Boots, M.**
Halley, J. *see* **Inchausti, P.**
van der Hammen, T. *see* **Janssen, A.**
Hart, P.J.B. Habitat use and feeding behaviour in two closely related fish species, the three-spined and nine-spined stickleback: an experimental analysis, 777
Harvey, J.A., van Dam, N.M. & Gols, R. Interactions over four trophic levels: foodplant quality affects development of a hyperparasitoid as mediated through a herbivore and its primary parasitoid, 520
Harwood, J.D., Sunderland, K.D. & Symondson, W.O.C. Web-location by linyphiid spiders: prey-specific aggregation and foraging strategies, 745
Hastings, A. *see* **Hill, M.F.**
Hatchwell, B.J. *see* **McGowan, A.**
Hawkins, S.J. *see* **Boaventura, D.**
Hawkins, S.J. *see* **Kent, A.**
Hazel, S.M. *see* **Begon, M.**
Heath-Coss, R. *see* **Rogers, C.M.**
Heino, J., Muotka, T. & Paavola, R. Determinants of macroinvertebrate diversity in headwater streams: regional and local influences, 425
Henson, S.M. *see* **Edmunds, J.**
Hero, J.-M. *see* **Morrison, C.**
Hill, M.F., Botsford, L.W. & Hastings, A. The effects of spawning age distribution on salmon persistence in fluctuating environments, 736
Hines, J.E. *see* **Blums, P.**
Hines, J.E. *see* **Cam, E.**
Hudson, P.J. *see* **Laurenson, M.K.**
Hudson, P.J. *see* **Mougeot, F.**
Hyvärinen, M. *see* **Pöykkö, H.**

Inchausti, P. & Halley, J. On the relation between temporal variability and persistence time in animal populations, 899
Irvine, A.K. *see* **Kanowski, J.**
Iverson, S.J. *see* **Beck, C.A.**
Ives, A.R. *see* **Beisner, B.E.**

Janssen, A., Willemse, E. & van der Hammen, T. Poor host plant quality causes omnivore to consume predator eggs, 478
Jenni, L. *see* **Altwegg, R.**
Jenouvrier, S., Barbraud, C. & Weimerskirch, H. Effects of climate variability on the temporal population dynamics of southern fulmars, 576
Johnson, A.R. *see* **Barbraud, C.**
Jokinen, I. *see* **Oksanen, T.A.**
Joly, P. *see* **Perret, N.**
Jones, C.G. *see* **Nicoll, M.A.C.**
Jones, T. *see* **Begon, M.**
Jonsson, M. & Malmqvist, B. Importance of species identity and number for process rates within different stream invertebrate functional feeding groups, 453
Jungi, T.W. *see* **Roulin, A.**
Kaiser, M.J. *see* **Dernie, K.M.**
Kanowski, J., Irvine, A.K. & Winter, J.W. The relationship between the floristic composition of rain forests and the abundance of folivorous marsupials in north-east Queensland, 627
Kent, A., Hawkins, S.J. & Doncaster, C.P. Population consequences of mutual attraction between settling and adult barnacles, 941
Kersten, M. *see* **Weimerskirch, H.**
Kestenholz, M. *see* **Altwegg, R.**
Kiflawi, M., Eitam, A. & Blaustein, L. The relative impact of local and regional processes on macro-invertebrate species richness in temporary pools, 447
Knell, R. *see* **Wilson, K.**
Koch-Osborne, J. *see* **Wilson, K.**
Koleff, P., Gaston, K.J. & Lennon, J.J. Measuring beta diversity for presence–absence data, 367
Kolunen, H. *see* **Brommer, J.E.**
Komdeur, J. *see* **Ridley, J.**
Koskela, E. *see* **Oksanen, T.A.**

Lambin, X. *see* **Matthiopoulos, J.**
Lancaster, J., Downes, B.J. & Reich, P. Linking landscape patterns of resource distribution with models of aggregation in ovipositing stream insects, 969
Landucci, G. *see* **Miller, M.W.**
Langlais, M. *see* **Sauvage, F.**
Lapchin, L. *see* **Casas, J.**
Larsen, V.A., Lislevand, T. & Byrkjedal, I. Is clutch size limited by incubation ability in northern lapwings? 784
Laurenson, M.K., Norman, R.A., Gilbert, I., Reid, H.W. & Hudson, P.J. Identifying disease reservoirs in complex systems: mountain hares as reservoirs of ticks and louping-ill virus, pathogens of red grouse, 177
Lennon, J.J. *see* **Koleff, P.**
Lezcano, N. *see* **Wajnberg, E.**
Lindberg, M.S. *see* **Blums, P.**
Lislevand, T. *see* **Larsen, V.A.**
Lyon, B.E. Ecological and social constraints on conspecific brood parasitism by nesting female American coots (*Fulica americana*), 47
Lyon, B.E. *see* **Estes, J.A.**

Mac Nally, R. *see* **Fleishman, E.**
Malmqvist, B. *see* **Jonsson, M.**
Mandon, N. *see* **Casas, J.**
Mappes, T. *see* **Oksanen, T.A.**
Marchesi, L. *see* **Sergio, F.**
Martínez-Padilla, J. *see* **Blanco, G.**
Matthiopoulos, J. *see* **Mougeot, F.**

© 2003 British Ecological Society,

Matthiopoulos, J., Moss, R., Mougeot, F., Lambin, X. & Redpath, S.M. Territorial behaviour and population dynamics in red grouse *Lagopus lagopus scoticus*. II. Population models, 1083

McCabe, D.J. & Gotelli, N.J. Caddisfly diapause aggregations facilitate benthic invertebrate colonization, 1015

McCleery, R. *see* **Cresswell, W.**

McCracken, D.I. *see* **Reid, J.M.**

McDonal, N. *see* **Fleishman, E.**

McGeoch, M.A. *see* **Warren, M.**

McGowan, A., Hatchwell, B.J. & Woodburn, R.J.W. The effect of helping behaviour on the survival of juvenile and adult long-tailed tits *Aegithalos caudatus*, 491

McMahon, C.R., Burton, H.R. & Bester, M.N. A demographic comparison of two southern elephant seal populations, 61

McMillan, J.I. *see* **Beck, C.A.**

Mednis, A. *see* **Blums, P.**

van der Meer, J. *see* **Smallegange, I.M.**

Miaud, C. *see* **Perret, N.**

Miller, M.W., Aradis, A. & Landucci, G. Effects of fat reserves on annual apparent survival of blackbirds *Turdus merula*, 127

Monaghan, P. *see* **Reid, J.M.**

Monnat, J.-Y. *see* **Cam, E.**

Morrison, C. & Hero, J.-M. Geographic variation in life-history characteristics of amphibians: a review, 270

Moss, R. *see* **Matthiopoulos, J.**

Moss, R. *see* **Mougeot, F.**

Mougeot, F. *see* **Matthiopoulos, J.**

Mougeot, F., Redpath, S.M., Moss, R., Matthiopoulos, J. & Hudson, P.J. Territorial behaviour and population dynamics in red grouse *Lagopus lagopus scoticus*. I. Population experiments, 1073

Mouillot, D., George-Nascimento, M. & Poulin, R. How parasites divide resources: a test of the niche apportionment hypothesis, 757

Mulder, R.A. *see* **Cockburn, A.**

Muotka, T. *see* **Heino, J.**

Murie, J.O. *see* **Broussard, D.R.**

Murphy, D.D. *see* **Fleishman, E.**

Murphy, K.M. *see* **Wilmers, C.C.**

Newman, J.A., Gibson, D.J., Parsons, A.J. & Thornley, J.H.M. How predictable are aphid population responses to elevated CO_2? 556

Newton, I. *see* **Sergio, F.**

Nichols, J.D. *see* **Blums, P.**

Nicoll, M.A.C., Jones, C.G. & Norris, K. Declining survival rates in a reintroduced population of the Mauritius kestrel: evidence for non-linear density dependence and environmental stochasticity, 917

Norman, R. *see* **Boots, M.**

Norman, R.A. *see* **Laurenson, M.K.**

Norris, K. *see* **Nicoll, M.A.C.**

Oksanen, T.A., Jokinen, I., Koskela, E., Mappes, T. & Vilpas, H. Manipulation of offspring number and size: benefits of large body size at birth depend upon the rearing environment, 321

Olive, P.J.W., Pinnegar, J.K., Polunin, N.V.C., Richards, G. & Welch, R. Isotope trophic-step fractionation: a dynamic equilibrium model, 608

Osmond, H.L. *see* **Cockburn, A.**

Paavola, R. *see* **Heino, J.**

Pardon, L.G., Brook, B.W., Griffiths, A.D. & Braithwaite, R.W. Determinants of survival for the northern brown bandicoot under a landscape-scale fire experiment, 106

Parkinson, E.A. *see* **Biro, P.A.**

Parsons, A.J. *see* **Newman, J.A.**

Peacor, S.D. *see* **Pfister, C.A.**

Pedrini, P. *see* **Sergio, F.**

Perret, N., Pradel, R., Miaud, C., Grolet, O. & Joly, P. Transience, dispersal and survival rates in newt patchy populations, 567

Persson, L. *see* **Byström, P.**

Pfister, C.A. & Peacor, S.D. Variable performance of individuals: the role of population density and endogenously formed landscape heterogeneity, 725

Pfluger, D. *see* **Bize, P.**

Pietiäinen, H. *see* **Brommer, J.E.**

Pihlajamäki, O. *see* **Brommer, J.E.**

Pinnegar, J.K. *see* **Olive, P.J.W.**

Polunin, N.V.C. *see* **Olive, P.J.W.**

Pontier, D. *see* **Devillard, S.**

Pontier, D. *see* **Sauvage, F.**

Post, J.R. *see* **Biro, P.A.**

Poulin, R. *see* **Mouillot, D.**

Pound, G.E. *see* **Doncaster, C.P.**

Pöykkö, H. & Hyvärinen, M. Host preference and performance of lichenivorous *Eilema* spp. larvae in relation to lichen secondary metabolites, 383

Pradel, R. *see* **Perret, N.**

Radford, A.N. & Du Plessis, M.A. Bill dimorphism and foraging niche partitioning in the green woodhoopoe, 258

Redpath, S.M. *see* **Matthiopoulos, J.**

Redpath, S.M. *see* **Mougeot, F.**

Reich, P. *see* **Lancaster, J.**

Reid, H.W. *see* **Laurenson, M.K.**

Reid, J.M., Bignal, E.M., Bignal, S., McCracken, D.I. & Monaghan, P. Age-specific reproductive performance in red-billed choughs *Pyrrhocorax pyrrhocorax*: patterns and processes in a natural population, 765

Reid, J.M., Bignal, E.M., Bignal, S., Mccracken, D.I. & Monaghan, P. Environmental variability, life-history covariation and cohort effects in the red-billed chough *Pyrrhocorax pyrrhocorax*, 36

Reynolds, J.D. *see* **Einum, S.**

Richards, G. *see* **Olive, P.J.W.**

Richner, H. *see* **Tschirren, B.**

© 2003 British Ecological Society,

Richner, H. *see* **Bize, P.**
Richner, H. *see* **Roulin, A.**
Ridley, J., Komdeur, J. & Sutherland, W.J. Population regulation in group-living birds: predictive models of the Seychelles warbler, 588
Riedman, M.L. *see* **Estes, J.A.**
Risch, T.S. *see* **Broussard, D.R.**
Rivero, A. *see* **Casas, J.**
Rodríguez, C. & Bustamante, J. The effect of weather on lesser kestrel breeding success: can climate change explain historical population declines? 793
Rogers, C.M. & Heath-Coss, R. Effect of experimentally altered food abundance on fat reserves of wintering birds, 822
Ross, D. *see* **Boots, M.**
Roth, J.D. Variability in marine resources affects arctic fox population dynamics, 668
Roulin, A. *see* **Altwegg, R.**
Roulin, A. *see* **Bize, P.**
Roulin, A., Brinkhof, M.W.G., Bize, P., Richner, H., Jungi, T.W., Bavoux, C., Boileau, N. & Burneleau, G. Which chick is tasty to parasites? The importance of host immunology vs. parasite life history, 75
Ruscoe, W.A. *see* **Choquenot, D.**

Sait, S. *see* **Boots, M.**
Salazar, S. *see* **Fariña, J.M.**
Sauvage, F., Langlais, M., Yoccoz, N.G. & Pontier, D. Modelling hantavirus in fluctuating populations of bank voles: the role of indirect transmission on virus persistence, 1
Say, L. *see* **Devillard, S.**
Schmid-Hempel, M. *see* **Brown, M.J.F.**
Schmid-Hempel, P. *see* **Brown, M.J.F.**
Schtickzelle, N. & Baguette, M. Behavioural responses to habitat patch boundaries restrict dispersal and generate emigration–patch area relationships in fragmented landscapes, 533
Sendor, T. & Simon, M. Population dynamics of the pipistrelle bat: effects of sex, age and winter weather on seasonal survival, 308
Sergio, F. & Newton, I. Occupancy as a measure of territory quality, 857
Sergio, F., Marchesi, L. & Pedrini, P. Spatial refugia and the coexistence of a diurnal raptor with its intraguild owl predator, 232
Serrano, D. & Tella, J.L. Dispersal within a spatially structured population of lesser kestrels: the role of spatial isolation and conspecific attraction, 400
Serrano, D. *see* **Blanco, G.**
Simon, M. *see* **Sendor, T.**
Šizling, A.L. *see* **Storch, D.**
Smallegange, I.M. & van der Meer, J. Why do shore crabs not prefer the most profitable mussels? 599
Smith, D.W. *see* **Wilmers, C.C.**
Spagiari, J. *see* **Weimerskirch, H.**
Staedler, M.M. *see* **Estes, J.A.**
Stone, L. *see* **Cazelles, B.**
Stone, R.E. *see* **Wright, J.**
Storch, D., Šizling, A.L. & Gaston, K.J. Geometry of the species–area relationship in central European birds: testing the mechanism, 509
Sunderland, K.D. *see* **Harwood, J.D.**
Sutherland, W.J. *see* **Ridley, J.**
Swenson, J.E. *see* **Dahle, B.**
Symondson, W.O.C. *see* **Harwood, J.D.**
Tabone, E. *see* **Wajnberg, E.**
Taylor, J.E. *see* **Fox, B.J.**
Telfer, S. *see* **Begon, M.**
Tella, J.L. *see* **Serrano, D.**
Thompson, P.T. *see* **Fox, B.J.**
Thornley, J.H.M. *see* **Newman, J.A.**
Tinker, M.T. *see* **Estes, J.A.**
Tobin, P.C. & Bjørnstad, O.N. Spatial dynamics and cross-correlation in a transient predator–prey system, 460
Tschirren, B., Fitze, P.S. & Richner, H. Sexual dimorphism in susceptibility to parasites and cell-mediated immunity in great tit nestlings, 839

Velando, A. & Alonso-Alvarez, C. Differential body condition regulation by males and females in response to experimental manipulations of brood size and parental effort in the blue-footed booby, 846
Vilpas, H. *see* **Oksanen, T.A.**
Viñuela, J. *see* **Blanco, G.**
Vogel, P. *see* **Christe, P.**

Wahlström, E. *see* **Byström, P.**
Wajnberg, E., Gonsard, P.-A., Tabone, E., Curty, C., Lezcano, N. & Colazza, S. A comparative analysis of patch-leaving decision rules in a parasitoid family, 618
Wallem, K.P. *see* **Fariña, J.M.**
Walters, J. *see* **Fleishman, E.**
Warren, M., McGeoch, M.A. & Chown, S.L. Predicting abundance from occupancy: a test for an aggregated insect assemblage, 468
Warwick, R.M. *see* **Dernie, K.M.**
Wasserman, M.D. & Chapman, C.A. Determinants of colobine monkey abundance: the importance of food energy, protein and fibre content, 650
Weimerskirch, H. *see* **Jenouvrier, S.**
Weimerskirch, H., Ancel, A., Caloin, M., Zahariev, A., Spagiari, J., Kersten, M. & Chastel, O. Foraging efficiency and adjustment of energy expenditure in a pelagic seabird provisioning its chick, 500
Welch, R. *see* **Olive, P.J.W.**
Westman, E. *see* **Byström, P.**
Whitfield, D.P. Predation by Eurasian sparrowhawks produces density-dependent mortality of wintering redshanks, 27
Wielaard, S. *see* **Casas, J.**
Willemse, E. *see* **Janssen, A.**
Wilmers, C.C., Crabtree, R.L., Smith, D.W., Murphy, K.M. & Getz, W.M. Trophic facilitation by

© 2003 British Ecological Society,

introduced top predators: grey wolf subsidies to scavengers in Yellowstone National Park, 909

Wilson, K., Knell, R., Boots, M. & Koch-Osborne, J. Group living and investment in immune defence: an interspecific analysis, 133

Winter, J.W. *see* **Kanowski, J.**

Witman, J.D. *see* **Fariña, J.M.**

Woodburn, R.J.W. *see* **McGowan, A.**

Wright, J., Stone, R.E. & Brown, N. Communal roosts as structured information centres in the raven, *Corvus corax* 1003

Yoccoz, N.G. *see* **Sauvage, F.**

Zahariev, A. *see* **Weimerskirch, H.**

Zapata, F.A., Gaston, K.J. & Chown, S.I. Mid-domain models of species richness gradients: assumptions, methods and evidence, 677

FORUM PAPERS

Akçakaya, H.R., Halley, J.M. & Inchausti, P. Population-level mechanisms for reddened spectra in ecological time series, 698

Ellingsen, K.E. *see* **Ugland, K.I.**

Gray, J.S. *see* **Ugland, K.I.**

Halley, J.M. *see* **Akçakaya, H.R.**

Inchausti, P. *see* **Akçakaya, H.R.**

Ugland, K.I., Gray, J.S. & Ellingsen, K.E. The species–accumulation curve and estimation of species richness, 888

© 2003 British Ecological Society,